Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 03/05/2019

1 Identification

- Product identifier

- Trade name: Tif-Lock Threadlocker Gel-Blue

- Part number: 8528, 8526
- Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

Supplier: Tifco Industries, Inc. P.O. Box 40277 Houston, TX 77240 USA

Telephone: +1-248-571-6000 Email: tifco@tifco.com Website: www.tifco.com

- Emergency telephone number:

United States: 1-800-424-9300

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer. GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). - Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:

2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate methacrylic acid, monoester with propane-1,2-diol

2'-phenylacetohydrazide - Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.

- Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Trade name: Tif-Lock Threadlocker Gel

(Contd. of page 1)

Reviewed on 03/05/2019

	(Contd. of page 1
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	3 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
ification evetor	

- Classification system: - NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1REACTIVITYReactivity = 0

- Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

-	components:	
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	50 - 59%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	Acrylic polymer	20 – 29%
	Combustible Dust	
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	5 – 9%
	Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 67762-90-7	Amorphous Silica	5 – 9%
	Combustible Dust	
CAS: 114-83-0	2'-phenylacetohydrazide	≤ 1%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 98-82-8	cumene	≤ 1%
	Flam. Liq. 3, H226; Carc. 2, H351; Asp. Tox. 1, H304; Acute Tox. 4, H302; STOT SE 3, H335	

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

Printing date 03/06/2019

Trade name: Tif-Lock Threadlocker Gel

Reviewed on 03/05/2019

	(Contd. of page 2
5 Fire-fighting measures	
 Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents: Water Special hazards arising from the substance or mixture No further relevant information available. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. 	
6 Accidental release measures	
 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Wear protective clothing. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the collected material according to regulations. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
7 Handling and storage	
 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. No special precautions are necessary if used correctly. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 	
 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. 	

- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS	CAS: 98-82-8 cumene		
PEL	Long-term value: 245 mg/m³, 50 ppm Skin		
REL	Long-term value: 245 mg/m³, 50 ppm Skin		
TLV	Long-term value: (246) NIC-0.5 mg/m ³ , (50) NIC-0.1 ppm NIC-A3		

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 03/06/2019

Trade name: Tif-Lock Threadlocker Gel

Reviewed on 03/05/2019

(Contd. of page 3)

- Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Eye protection:**



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

formation on basic physical and che	emical properties
- General Information	
 Appearance: 	
- Form:	Gel
- Color:	Blue
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	≥ 200 °C (≥ 392 °F)
- Flash point:	≥ 94 °C (≥ 201.2 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.1 g/cm³ (~ 9.1795 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
 Evaporation rate 	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.

Printing date 03/06/2019

Trade name: Tif-Lock Threadlocker Gel

Reviewed on 03/05/2019

- Farillion coemcle	
	ent (n-octanol/water): Not determined.
- Viscosity:	
- Dynamic: - Kinematic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
 Organic solve 	
- Water:	0.4 %
- VOC content:	0.77 % ~ 8.5 g/l / ~ 0.07 lb/gal
Oslida santan	
- Solids conten Other information	t: 87.6 % No further relevant information available.
Stability and reacti	vity
- Reactivity No further re	elevant information available.
 Chemical stability 	
- Thermal deco	mposition / conditions to be avoided: No decomposition if used according to specifications.
Possibility of hazard	lous reactions No dangerous reactions known.
	No further relevant information available.
	als: No further relevant information available.
- Hazardous decompo	
Aldehyde	
Hydrocarbons	
Toxicological infor	rmation
Information on toxic	ological effects
- Acute toxicity:	
	es that are relevant for classification:
ATE (Acute Toxicity Est	
Oral LD50 64,0	000 mg/kg (rat)
Dermal LD50 59,5	524 mg/kg (rat)
CAS: 114-83-0 2'-pheny	lacetohydrazide
) mg/kg (mouse)
CAS: 98-82-8 cumene	
CAS: 98-82-8 cumene	00 ma/ka (rat)
Oral LD50 1,40	00 mg/kg (rat)
Oral LD50 1,40 Dermal LD50 12,3	300 mg/kg (rabbit)
OralLD501,40DermalLD5012,3InhalativeLC50/4 h24,3	300 mg/kg (rabbit) 7 mg/l (mouse)
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritant 1	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect:
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritant - on the skin	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes.
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritan - on the skin - on the eyer	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. : Irritating effect.
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritan - on the skin - on the eyer - Sensitization:	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. : Sensitization possible through skin contact.
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritan - on the skin - on the eye - Sensitization: - Additional toxico	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. Sensitization possible through skin contact. : logical information:
OralLD501,40DermalLD5012,3InhalativeLC50/4 h24.3- Primary irritan- on the skin- on the skin- on the eye- Sensitization:- Sensitization:- Additional toxicooThe product shows the	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. : Sensitization possible through skin contact.
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.3 - Primary irritan - on the skin - on the eye - Sensitization: - Additional toxico	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. Sensitization possible through skin contact. : logical information:
OralLD501,40DermalLD5012,3InhalativeLC50/4 h24.3- Primary irritan- on the skin- on the skin- on the eye- Sensitization:- Sensitization:- Additional toxicooThe product shows the	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. b: Irritating effect. c: Sensitization possible through skin contact. blogical information: he following dangers according to internally approved calculation methods for preparations:
Oral LD50 1,40 Dermal LD50 12,0 Inhalative LC50/4 h 24.7 - Primary irritan - on the skin - on the eye. - Sensitization: - Additional toxicoo The product shows th Irritant - Carcinogenic	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. b: Irritating effect. c: Sensitization possible through skin contact. blogical information: he following dangers according to internally approved calculation methods for preparations:
Oral LD50 1,40 Dermal LD50 12,0 Inhalative LC50/4 h 24.7 - Primary irritan - on the skin - on the eye. - Sensitization: - Additional toxicoo The product shows th Irritant - Carcinogenic	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. : Irritating effect. Sensitization possible through skin contact. blogical information: he following dangers according to internally approved calculation methods for preparations: categories
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.7 - Primary irritant - on the skint - on the skint - on the eyes - Sensitization: - Additional toxicol - Additional toxicol The product shows the Irritant - Carcinogenic - IARC (Inter - IARC (Inter	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. : Irritating effect. Sensitization possible through skin contact. ological information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer)
OralLD501,40DermalLD5012,3InhalativeLC50/4 h24.3• Primary irritan• on the skin• on the eyen• Sensitization:• Additional toxicoorThe product shows the Irritant• Carcinogenic• IARC (InterCAS: 98-82-8cumeneCAS: 91-20-3naphthale	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. I'ritating effect. 'Sensitization possible through skin contact. <i>logical information:</i> he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer) 2 ene
OralLD501,40DermalLD5012,3InhalativeLC50/4 h24.3• Primary irritan• on the skin• on the eyen• Sensitization:• Additional toxicoorThe product shows the Irritant• Carcinogenic• IARC (InterCAS: 98-82-8cumeneCAS: 91-20-3naphthale	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. : Irritating effect. Sensitization possible through skin contact. ological information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer)
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24,7 - Primary irritan - on the skin - on the skin - on the skin - on the eye - Sensitization: - Sensitization: - Additional toxicoo The product shows the lirritant - Carcinogenic - IARC (Inter CAS: 98-82-8 cumene CAS: 91-20-3 naphthale - NTP (Natio CAS: 98-82-8 cumene	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. 'Sensitization possible through skin contact. logical information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer) 2 ene 2 onal Toxicology Program)
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.7 - Primary irritant - on the skint - on the skint - on the skint - on the eyes - Sensitization: - Additional toxicol The product shows the lirritant - Carcinogenic - CAS: 98-82-8 cumene CAS: 91-20-3 naphthale - NTP (Natio CAS: 98-82-8 cumene CAS: 98-82-8 cumene CAS: 130-15-4 1,4-naph	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. :: Irritating effect. 'Sensitization possible through skin contact. ological information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer) 2 onal Toxicology Program)
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.7 - Primary irritant - on the skint - on the skint - on the skint - Sensitization: - Additional toxicol - Additional toxicol The product shows the lirritant - Carcinogenic - CAS: 98-82-8 cumene CAS: 91-20-3 naphthale - CAS: 98-82-8 cumene CAS: 98-82-8 cumene CAS: 98-82-8 aumene CAS: 98-82-8 aumene	300 mg/kg (rabbit) 7 mg/l (mouse) nt effect: n: Irritant to skin and mucous membranes. : Irritating effect. Sensitization possible through skin contact. ological information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer) 2 onal Toxicology Program) hthoquinone lene
Oral LD50 1,40 Dermal LD50 12,3 Inhalative LC50/4 h 24.7 - Primary irritant - on the skint - on the skint - on the skint - Sensitization: - Additional toxicol - Additional toxicol The product shows the lirritant - Carcinogenic - CAS: 98-82-8 cumene CAS: 91-20-3 naphthale - CAS: 98-82-8 cumene CAS: 98-82-8 cumene CAS: 98-82-8 aumene CAS: 98-82-8 aumene	300 mg/kg (rabbit) 7 mg/l (mouse) ht effect: n: Irritant to skin and mucous membranes. b: Irritant to possible through skin contact. b: Jogical information: he following dangers according to internally approved calculation methods for preparations: categories rnational Agency for Research on Cancer) ane b: project Program) nthoquinone lene (Occupational Safety & Health Administration)

- *Toxicity* - *Aquatic toxicity:* No further relevant information available.

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Trade name: Tif-Lock Threadlocker Gel

(Contd. of page 5)

Reviewed on 03/05/2019

- Persistence and degradability No further relevant information available

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.

- *Mobility in soil* No further relevant information available.

- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB**: Not applicable.

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

4 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
 Environmental hazards: Marine pollutant: 	No
- Special precautions for user	Not applicable.
 Transport in bulk according to Annex II o and the IBC Code 	f MARPOL73/78 Not applicable.
- UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara

 Section 355 (extremely hazardous substances): 			
None of the ing	None of the ingredients is listed.		
- Section 313 (Specific toxic chemical listings):			
CAS: 80-15-9	dimethylbenzyl hydroperoxide		
CAS: 98-82-8	cumene		
CAS: 91-20-3	naphthalene		
- TSCA (Toxic Substances Control Act):			
All ingredients are listed.			
- TSCA new (21st Century Act): (Substances not listed)			
CAS: 25852-47-5 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate			
CAS: 114-83-0	2'-phenylacetohydrazide		
- Hazardous Air Pollutants			
CAS: 98-82-8	cumene		
CAS: 130-15-4	1,4-naphthoquinone		
CAS: 91-20-3	naphthalene		

Trade name: Tif-Lock Threadlocker Gel

Reviewed on 03/05/2019

made manne.	III-LOCK Infeadlocker Gel	
- Pror	position 65	(Contd. of page 6)
•	Chemicals known to cause cancer:	
CAS: 98-82-8		
	3 naphthalene	
	Chemicals known to cause reproductive toxicity for females:	
	ngredients is listed.	
	Chemicals known to cause reproductive toxicity for males:	
	ngredients is listed.	
	Chemicals known to cause developmental toxicity:	
	ngredients is listed.	
	cinogenic categories	
	EPA (Environmental Protection Agency)	
CAS: 98-82-8		D, CBD
	3 naphthalene	C, CBD
- 7	TLV (Threshold Limit Value established by ACGIH)	
CAS: 91-20-3	3 naphthalene	A4
- ^	VIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the in	ngredients is listed.	
- Chemical s	safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other info	rmation	
	ion is based on our present knowledge. However, this shall not constitute a guaran blish a legally valid contractual relationship.	tee for any specific product features and
	It issuing SDS: ND Industries, Inc Safety, Health and Environmental Affaires afety, Health and Environmental Affaires	
	preparation / last revision 03/06/2019 / 39	
ADR: Accord IMDG: Interr DOT: US De IATA: Intern	iations and acronyms: d européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the lu national Maritime Code for Dangerous Goods ppartment of Transport Association ational Air Transport Association erican Conference of Governmental Industrial Hygienists	nternational Carriage of Dangerous Goods by Road)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Mint, 2: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 - * **Data compared to the previous version altered.**

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.