Printing date 06/19/2023 Reviewed on 06/19/2023

1 Identification

- Product identifier
 - Trade name: MicroKote Copper Anti-Seize
 - Part number: 9166, 9167
 - Application of the substance / the mixture Lubricant
- Details of the supplier of the safety data sheet
 - Supplier:

TIFCO Industries, Inc PO Box 40277 Houston, TX 77240 - Reno,NV 89515

USA

- Telephone: 800-868-4326

- Information department: Product Safety Department

- Emergency telephone number: United States: 1-800-424-9300

International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- Label elements
 - GHS label elements Void
 - Hazard pictograms Void
 - Signal word Void
 - Hazard statements Void
- Other hazards
 - Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
 - Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 7440-50-8 copper		1 – 4%
CAS: 14808-60-7 Crystalline Silica	Carcinogenicity 1A, H350; Specific Target Organ Toxicity - Repeated Exposure 1, H372	≤ 1%

4 First-aid measures

- Description of first aid measures
 - General information: No special measures required.
 - After inhalation: Supply fresh air; consult doctor in case of complaints.
 - After skin contact: Generally the product does not irritate the skin.
 - After eye contact: Rinse opened eye for several minutes under running water.
 - After swallowing: If symptoms persist consult doctor.
 - Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

Printing date 06/19/2023 Reviewed on 06/19/2023

Trade name: MicroKote Copper Anti-Seize

(Contd. of page 1)

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling No special measures required.
 - Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

- (- Components with limit values that require monitoring at the workplace:		
CAS:	CAS: 7440-50-8 copper		
PEL	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume		
REL	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume		
TLV	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu		
CAS:	14808-60-7 Crystalline Silica		
PEL	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2		
REL	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A		
TLV	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2		

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Not required.

Printing date 06/19/2023 Reviewed on 06/19/2023

Trade name: MicroKote Copper Anti-Seize

- Body protection: Protective work clothing

(Contd. of page 2)

* 9 Physical and chemical properties

9 Physical and chemical properties	
- Information on basic physical and ch - General Information - Appearance:	nemical properties
- Form:	Pasty
- Color:	Bronze colored
- Odor:	Mild
- Odor threshold:	Not determined.
- pH-value:	Not applicable.
- Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	Undetermined.
- Flash point:	215.5 °C (419.9 °F)
- Flammability (solid, gaseous):	Not determined.
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits: - Lower: - Upper:	Not determined. Not determined.
- Vapor pressure:	Not applicable.
- Density at 20 °C (68 °F): - Relative density - Vapor density - Evaporation rate	≥ 7.83333 – ≤ 7.9 g/cm³ (≥ 65.36914 – ≤ 65.9255 lbs/gal) Not determined. Not applicable. Not applicable.
- Solubility in / Miscibility with - Water:	Insoluble.
- Partition coefficient (n-octanol/water): Not determined.	
- Viscosity: - Dynamic at 20 °C (68 °F): - Kinematic:	100,000 mPas Not applicable.
- Solvent content: - VOC content:	0.00 %
- Solids content:	100.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - Sensitization: No sensitizing effects known.

Printing date 06/19/2023 Reviewed on 06/19/2023

Trade name: MicroKote Copper Anti-Seize

(Contd. of page 3)

- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 14808-60-7 Crystalline Silica	1
- NTP (National Toxicology Program)	
CAS: 14808-60-7 Crystalline Silica	K
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number - DOT, IMDG, IATA	UN3077
- UN proper shipping name	
- DOT	Environmentally hazardous substance, solid, n.o.s.
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S. (copper), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S. (copper)
- Transport hazard class(es)	
• • • • • • • • • • • • • • • • • • • •	
- DOT, IMDG, IATA	
1 1 1 1 1 1 1 1 1 1	
- Class	9 Miscellaneous dangerous substances and articles
- Label	9
Lubci	<u> </u>
- Packing group	
- DOT, IMDĠ, IATA	III
- Environmental hazards:	
	N
- Marine pollutant:	No (BOT)
	Yes (DOT)
	Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)

Printing date 06/19/2023 Reviewed on 06/19/2023

Trade name: MicroKote Copper Anti-Seize

(Contd. of page 4)

 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
- Transport in bulk according to Annex II of MARPOL73/	
- Transport/Additional information:	
- DOT	
- Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
- Remarks:	Special marking with the symbol (fish and tree).
- IMDG	
- Limited quantities (LQ)	5 kg
Excepted quantities (ÉQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
CAS: 7440-50-8 copper	
- TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
- Hazardous Air Pollutants	
None of the ingredients is listed.	
- Proposition 65	

- Chemicals known to cause cancer:

CAS: 14808-60-7 Crystalline Silica

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)	
CAS: 7440-50-8 copper	D
- TLV (Threshold Limit Value)	
CAS: 14808-60-7 Crystalline Silica	A2
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 14808-60-7 Crystalline Silica	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2023 Reviewed on 06/19/2023

Trade name: MicroKote Copper Anti-Seize

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

- Date of preparation / last revision 06/19/2023

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Carcinogenicity 1A: Carcinogenicity – Category 1A
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that TIFCO Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and TIFCO Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.