Printing date 23.03.2015

Revision: 23.03.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>Slip Lube</u>
<ul> <li>Article number: 79782</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
· Application of the substance / the mixture Lubricant
<ul> <li>• 1.3 Details of the supplier of the Safety Data Sheet</li> <li>• Manufacturer/Supplier: Tifco Industries</li> <li>P.O. Box 40277</li> <li>Houston, Texas 77429</li> <li>(281) 571-6000</li> </ul>
<ul> <li>• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585</li> </ul>
SECTION 2: Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> </ul>
Skin Sens. 1 H317 May cause an allergic skin reaction.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R36: Irritating to eyes.
Xi; Sensitising
<ul> <li>R43: May cause sensitisation by skin contact.</li> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system:</li> </ul>
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
There are no other hazards not otherwise classified that have been identified. (Contd. on page 2)

Printing date 23.03.2015

Revision: 23.03.2015 Trade name: Slip Lube (Contd. of page 1) 0 percent of the mixture consists of component(s) of unknown toxicity · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: Zinc Dialkyldithiophosphate · Hazard statements H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. · Precautionary statements P261 Avoid breathing mist/vapours/sprav. P280 Wear protective gloves/protective clothing/eye protection/face protection. P264 Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. P272 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0

(Contd. on page 3)

Printing date 23.03.2015

Revision: 23.03.2015

Trade name: Slip Lube

(Contd. of page 2)

### · HMIS-ratings (scale 0 - 4)

HEALTHImage: 2FIRE1Fire1REACTIVITYImage: 2Reactivity0

### · HMIS Long Term Health Hazard Substances

None of the ingredients are listed.

#### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 68649-42-3 Zinc Dialkyldithiophosphate	<b>≤ 2,5%</b>
EINECS: 272-028-3 🗙 Xi R38-41; 🗙 Xi R43; 🎇 N R51/53	
😔 Eye Dam. 1, H318	
Aquatic Chronic 2, H411	
Skin Irrit. 2, H315; Skin Sens. 1, H317	
Additional information	

### For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

### • 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### • 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritant to eyes.

Gastric or intestinal disorders when ingested.

(Contd. on page 4)

Printing date 23.03.2015

Revision: 23.03.2015

### Trade name: Slip Lube

Nausea

(Contd. of page 3)

Cramp · Hazards No further relevant information available.

## • **4.3 Indication of any immediate medical attention and special treatment needed** Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains Zinc Dialkyldithiophosphate. May produce an allergic reaction.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents:
- Water haze or fog

Foam

Fire-extinguishing powder

Carbon dioxide

 $\cdot$  For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Cool endangered receptacles with water fog or haze.

## **SECTION 6: Accidental release measures**

Printing date 23.03.2015

## Trade name: Slip Lube

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Avoid the formation of oil haze.

Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

PEL (USA) Long-term value: 5 (mist) mg/m<sup>3</sup>

TLV (USA) Long-term value: 5 (mist) mg/m<sup>3</sup>

• DNELs No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

### · 8.2 Exposure controls

### · Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

### **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.


(Contd. on page 6)

(Contd. of page 4)

Revision: 23.03.2015

Printing date 23.03.2015

Revision: 23.03.2015



Printing date 23.03.2015

Trade name: Slip Lube

Revision: 23.03.2015

		(Contd. of pag
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate	0,89 g/cm³ (7,427 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): > 2,0 log POW (Estimate)	
Viscosity: Dynamic: Kinematic: 9.2 Other information	Not determined. Not determined. No further relevant information available.	

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

- · 10.4 Conditions to avoid Store away from oxidising agents.
- **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Possible in traces: Nitrogen oxides (NOx) Sulphur oxides (SOx)

## **SECTION 11: Toxicological information**

### · 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification: None.

(Contd. on page 8)

Printing date 23.03.2015

Trade name: Slip Lube

Revision: 23.03.2015

(Contd. of page 7)

Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- Subacute to chronic toxicity: No further relevant information available.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes.

· Sensitisation:

May cause an allergic skin reaction.

May cause sensitisation by skin contact.

### Repeated dose toxicity:

Repeated exposures may result in skin and/or respiratory sensitivity.

Repeated exposure may cause skin dryness or cracking.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability Not easily biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:

· Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be reused after reprocessing.

Delivery of waste oil to officially authorized collectors only.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 9)

Printing date 23.03.2015

Revision: 23.03.2015

# Trade name: Slip Lube

(Contd. of page 8)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
14.4 Packing group	-	
DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	-	

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

### • TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

### · Chemicals known to cause cancer:

None of the ingredients is listed.

### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 10)

Printing date 23.03.2015

Revision: 23.03.2015

Trade name: Slip Lube

(Contd. of page 9)
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· Carcinogenic Categories
· EPA (Environmental Protection Agency)
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer)
None of the ingredients are listed.
· TLV (Threshold Limit Value established by ACGIH)
None of the ingredients are listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients are listed.
· Canada
· Canadian Domestic Substances List (DSL)
All ingredients are listed.
· Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients are listed.
· Canadian Ingredient Disclosure list (limit 1%)
None of the ingredients are listed.
· Other regulations, limitations and prohibitive regulations
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations
and the SDS contains all the information required by the Controlled Products Regulations.
· Substances of very high concern (SVHC) according to REACH, Article 57
None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- Causes serious eye damage. H318
- Toxic to aquatic life with long lasting effects. H411
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- May cause sensitisation by skin contact. R43

(Contd. on page 11)

Printing date 23.03.2015

Revision: 23.03.2015

# Trade name: Slip Lube

(Contd. of page 10) R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com